



Fender set for quick release

Big Cat HPV. LLC
720 Business Park Blvd Ste 22
Winter Garden, FL 34787

Fender set for quick release

PARTS LIST:

- 2 Front Fenders
- 1 Rear Fender (larger)
- 2 Fender mounting bracket - Black
- 2 Fender mounting bracket - Silver
- 6 Fender Stays with Clips
- 2 M6x40 socket head cap screws
- 2 M5X15 socket head cap screws
- 2 M5X12 socket head cap screws
- 2 M5x10 Buttonhead screws
- 2 M5 Flat Washers
- 4 M5 Nylon Lock Nuts



To install the front fenders:

Note: The black mounting bracket has two holes in it, one slightly larger than the other. The end with the smaller hole attaches to the top of the fender while the end with the larger hole sits on top of the headset.

1. Using an M5x10 screw and locknut, attach the front fender to the mounting bracket.



2. Remove the screw only from the headset. Place the mounting bracket on top of the headset and replace the screw with the M6x40 provided to secure it in place, making sure the fender is aligned and centered above the tire.



Note: If you are installing fenders on a trike with indirect steering, you can re-use the screw removed from the headset.

Fender set for quick release

3. Remove the axle bolt from the axle. Slide the silver mounting bracket onto the axle bolt, followed by the dust cap. Screw the axle bolt back into the axle.



4. Using the M5X12 screw and M5 lock nut, attach the end of the fender stay to the small hole in mounting bracket 2.

5. Slide the fender clip over the edge of the fender. You may have to bend the stay in towards the tire slightly to keep the fender aligned and centered over the tire.



6. Tighten the screws on the stay clips.

7. Repeat for the other side, making sure to attach the mounting bracket to the fender on the other side.

To install rear fender:

1. Using the M5x15 screws, attach the fender stays to the holes provided in the frame above the dropouts. Two fender stays go on each side of the rear wheel.



2. Attach the fender stay clips to the fender and tighten the screws.

